


# Malleable iron reducing hexagon nipple



- Certificate: ISO
- Standard: Refer to ASME B16.14
- Material: Malleable iron ASTM A197
- Thread: NPT
- W. pressure: Class 150, 300 psi (-29°C to 66°C)
- Surface: Black iron / hot dip galvanized



## Available size (Class 150)

Inch	Size		A (Min)	Ref. No.
	DN	mm	mm	
3/8" x 1/4"	10 x 8	17.1 x 13.7	38	M8103 (ISO)
1/2" x 1/4"	15 x 8	21.3 x 13.7	44	M8105 (ISO)
1/2" x 3/8"	15 x 10	21.3 x 17.1	44	M8106 (ISO)
3/4" x 1/4"	20 x 8	26.7 x 13.7	47	M8108 (ISO)
3/4" x 3/8"	20 x 10	26.7 x 17.1	47	M8109 (ISO)
3/4" x 1/2"	20 x 15	26.7 x 21.3	47	M8110 (ISO)
1" x 1/2"	25 x 15	33.4 x 21.3	53	M8113 (ISO)
1" x 3/4"	25 x 20	33.4 x 26.7	53	M8114 (ISO)
1-1/4" x 1/2"	32 x 15	42.2 x 21.3	57	M8116 (ISO)
1-1/4" x 3/4"	32 x 20	42.2 x 26.7	57	M8117 (ISO)
1-1/4" x 1"	32 x 25	42.2 x 33.4	57	M8118 (ISO)
1-1/2" x 1/2"	40 x 15	48.3 x 21.3	59	M8121 (ISO)
1-1/2" x 3/4"	40 x 20	48.3 x 26.7	59	M8122 (ISO)
1-1/2" x 1"	40 x 25	48.3 x 33.4	59	M8123 (ISO)
1-1/2" x 1-1/4"	40 x 32	48.3 x 42.2	59	M8124 (ISO)