

Foam fire cabinet (Foam system + fire hose reel + extinguisher)

Foam fire cabinet incorporates both foam extinguishing system and water extinguishing system. It is an efficient firefighting equipment for single man operation to attack class A and B fire.



- · Certificate:
- Standard:
- Refer to NFPA 14, GB 20031
- Capacity:1
 Low expansion foam system + swinging
 arm fire hose reel + extinguisher


VdS

(ISO) 9001)

Mounting:

· Surface:

Wall surface / recessed Red powder coating / bright SS



ISO

Main parts and material

Box / door	Cold rolled steel or SS, 1.0 / 1.2 / 1.5 mm thickness	Door type	Single door, from left to right open 180°, bullet hinge or continuous piano hinge
Door glazing	Non (full solid), or acrylic viewing panel (Inside slotted or embedded into the door)	Lock	Rotary pull lock, or keyed cylinder lock, or keyed lock pull handle

Available size

Cabinet content	Туре	Mounting	Dimension W x H x D (mm)	Ref. No.
Inline inductor with pick up tube		Surface / recessed	1200 x 1400 x 250	B8201 (ISO)
Foam concentrate container (empty), 30L	Foam system +			
Swinging arm fire hose reel, 3/4" x 30m	3/4" hose reel +			
Dry powder fire extinguisher, 2 x 6kg	extinguisher			
Water inlet pipeline and brass valve, size 1.5" or 2"				
Inline inductor with pick up tube		Surface / recessed	1200 x 1500 x 270	B8202 (ISO)
Foam concentrate container (empty), 50L	Foam system +			
Swinging arm fire hose reel, 1" x 30m	1" hose reel +			
Dry powder fire extinguisher, 2 x 6kg	extinguisher			
Water inlet pipeline and brass valve, size 1.5" or 2"				

Note:

1. For foam system, it is available with foam concentrate AFFF 3%, AR-AFFF 3x3%, FP, etc.

2. For water inlet connection, it is available with NPT or BSPT.

3. For recessed type, it contains projection trim on the external face of cabinet with width 38mm.

