

TPMC Warehouse














We prepare stock for popular items in our warehouse locating near to the seaport to achieve a fast delivery and convenient loading.










Stock list is available for your reference.




















TPMC Stock List




Date: 2024-9-19 R91




Item No	Product Name	Description	Figure	Ref. No	Certificate	UOM	Stock Quantity	Referene price (USD/UOM)
1	Wafer butterfly valve (Gear actuator & tamper switch)	2", PN16, RF		V1601	UL/FM	Nos	1	68.54
2	Flanged swing check valve	2", PN16, RF		V2101	UL/FM	Nos	1	71.89
3	Flanged Y type strainer	2", PN16, RF		V2601	UL	Nos	1	38.98
4	Flanged OS&Y gate valve with supervisory switch	2-1/2", 300psi, FF		V3122	UL/FM	Nos	1	317.78
5	Flanged OS&Y gate valve with supervisory switch	2-1/2", 300psi, FF		V3127	UL/FM	Nos	1	661.64
6	Flanged globe type pressure reducing valve	4", Class150, 30 ~ 165psi		V6105	UL	Nos	4	1594.01
7	Flanged globe type pressure reducing valve	6", Class150, 30 ~ 165psi		V6106	UL	Nos	4	1980.49
8	Grooved globe type pressure reducing valve	6", grooved, 30 ~ 250psi		V6215	FM	Nos	4	2079.60
9	Alarm check valve	6", working pressure: 175psi		V6507	UL	Set	1	524.12
10	Waterflow detector	8", U-BOLT		V8508	UL/FM	Nos	2	60.35
11	Waterflow detector	1" ~ 2", threaded type		V8501	UL/FM	Nos	1	58.68
12	Fire sprinkler pressure gauge	1/4", NPT, 0-300psi		V9501	UL/FM	Nos	295	15.88
13	Test and drain valve	1", K5.6, NPT, Brass		VC0101	UL/FM	Nos	128	32.12
14	Test and drain valve	2", K5.6, NPT, Brass		VC0104	UL/FM	Nos	60	68.35
15	Brass ball valve (Full port)	1/2", NPT, Brass		VC0503	UL/FM	Nos	296	2.92
16	Brass ball valve (Full port)	1", NPT, Brass		VC0505	UL/FM	Nos	223	7.56
17	Brass ball valve (Full port)	1-1/2", NPT, Brass		VC0507	UL/FM	Nos	104	15.39
18	Brass ball valve (Full port)	2", NPT, Brass		VC0508	UL/FM	Nos	208	21.41
19	3-way bronze globe valve (Gauge valve)	1/4", NPT, Bronze, 175psi		VC3602	UL	Nos	140	9.51

Item No	Product Name	Description	Figure	Ref. No	Certificate	UOM	Stock Quantity	Referene price (USD/UOM)
20	Stainless steel screwed ball valve (Full bore / full port)	1/2", BSPT, SS 304, PN20		VC5503	ISO	Nos	20	5.27
21	Stainless steel screwed ball valve (Full bore / full port)	3/4", BSPT, SS 304, PN20		VC5504	ISO	Nos	20	7.18
22	Stainless steel screwed ball valve (Full bore / full port)	1", BSPT, SS 304, PN20		VC5505	ISO	Nos	20	10.01
23	Stainless steel screwed ball valve (Full bore / full port)	1-1/4", BSPT, SS 304, PN20		VC5506	ISO	Nos	20	14.69
24	Stainless steel screwed ball valve (Full bore / full port)	1-1/2", BSPT, SS 304, PN20		VC5507	ISO	Nos	20	19.57
25	Stainless steel screwed ball valve (Full bore / full port)	2", BSPT, SS 304, PN20		VC5508	ISO	Nos	20	28.10
26	Flanged angle type pressure relief valve	4", Class150, 20~200psi		U1304	UL/FM	Nos	4	1419.61
27	Flanged angle type pressure relief valve	6", Class150, 20~200psi		U1305	UL/FM	Nos	4	2018.21
28	Pump casing relief valve	3/4" globe type, 20~200psi		U1505	UL/FM	Nos	3	477.42
29	Air release valve	1", 200psi, inlet: 1" NPT		U1723	FM	Nos	8	40.28
30	Air release valve	1", 300psi, inlet: 1" NPT		U1715	UL/FM	Nos	141	51.76
31	Threaded hex head bushing	DN25 x DN15		N5703	ISO	Nos	86	1.91
32	Threaded hex head bushing	DN25 x DN20		N5704	ISO	Nos	117	1.91
33	Foot valve	2", PN16		U5401	ISO	Nos	20	45.79
34	Foot valve	2-1/2", PN16		U5402	ISO	Nos	9	56.33
35	Foot valve	6", PN16		U5406	ISO	Nos	6	173.60
36	Foot valve	10", PN16		U5408	ISO	Nos	4	390.68
37	British wet pillar fire hydrant	4", inlet: 4" EN1092 PN16		FE0101	ISO	Nos	58	239.65
38	Breeching inlet	4", 2 ways		FE0601	BSI/LPCB	Nos	17	108.71
39	Breeching inlet	6", 4 ways		FE0602	BSI/LPCB	Nos	13	222.35

Item No	Product Name	Description	Figure	Ref. No	Certificate	UOM	Stock Quantity	Referene price (USD/UOM)
40	Flanged oblique type landing valve	2-1/2", BS336		FE1002	LPCB	Nos	189	107.06
41	Threaded oblique type landing valve	2-1/2", BS336		FE1004	LPCB	Nos	200	70.82
42	Layflat fire hose (Type 1)	2-1/2", Red		FE3102	UL	Set	27	92.89
43	Layflat fire hose (Type 1)	2-1/2", White		FE3102	UL	Set	33	74.94
44	Lever operated hand-held branchpipe	2-1/2", BS336		FE3501	BSI/LPCB	Nos	302	17.29
45	Hose angle valve	1-1/2", (FxF), Brass		F3102	UL/FM	Nos	521	27.67
46	Single jacket fire hose	1-1/2", White		F4101	UL	Nos	199	54.35
47	Adjustable fog nozzle	1-1/2", Brass		F5001	UL	Nos	158	20.42
48	Adjustable fog nozzle	2-1/2", Brass		F5002	UL	Nos	230	45.97
49	Hose rack (Pin rack)	1-1/2"		F6003	/	Nos	347	8.96
50	Hose rack nipple (Pin rack nipple)	1-1/2"		F6101	/	Nos	371	6.16
51	European gauge UL fire alarm cable (FPLR & FPL)	2C x 1.5		C0101	UL	Meter	1100	0.50
52	European gauge UL fire alarm cable (FPLR & FPL)	2C x 2.5		C0102	UL	Meter	300	0.74
53	Swivel loop hanger (Band hanger)	1"		P4103	UL/FM	Nos	1860	0.30
54	Swivel loop hanger (Band hanger)	1-1/4"		P4104	UL/FM	Nos	1235	0.33
55	Swivel loop hanger (Band hanger)	1-1/2"		P4105	UL/FM	Nos	775	0.35
56	Swivel loop hanger (Band hanger)	2"		P4106	UL/FM	Nos	640	0.38
57	Swivel loop hanger (Band hanger)	2-1/2"		P4107	UL/FM	Nos	160	0.62
58	Swivel loop hanger (Band hanger)	3"		P4108	UL/FM	Nos	980	0.73
59	Swivel loop hanger (Band hanger)	4"		P4109	UL/FM	Nos	550	0.88




















Item No	Product Name	Description	Figure	Ref. No	Certificate	UOM	Stock Quantity	Referene price (USD/UOM)
60	Swivel loop hanger (Band hanger)	6"		P4111	UL/FM	Nos	350	1.59
61	Swivel loop hanger (Band hanger)	8"		P4112	UL/FM	Nos	200	1.96
62	Clevis hanger	2 1/2"		P4207	UL/FM	Nos	43	1.99
63	Clevis hanger	3"		P4208	UL/FM	Nos	25	2.21
64	Clevis hanger	4"		P4209	UL/FM	Nos	9	3.20
65	Grooved 90° elbow	2-1/2" (76.1mm)		G0106	UL/FM	Nos	28	3.86
66	Grooved 90° elbow	3" (88.9mm)		G0107	UL/FM	Nos	16	4.08
67	Grooved 90° elbow	4" (114.3mm)		G0108	UL/FM	Nos	8	5.25
68	Grooved 90° elbow	5" (139.7mm)		G0109	UL/FM	Nos	5	15.12
69	Grooved 90° elbow	6" (165.1mm)		G0111	UL/FM	Nos	3	15.89
70	Grooved 90° elbow	8" (219.1mm)		G0113	UL/FM	Nos	2	22.26
71	Grooved 45° elbow	2-1/2" (76.1mm)		G0706	UL/FM	Nos	30	2.97
72	Grooved 45° elbow	3" (88.9mm)		G0707	UL/FM	Nos	24	4.31
73	Grooved 45° elbow	4" (114.3mm)		G0708	UL/FM	Nos	18	6.65
74	Grooved 45° elbow	5" (139.7mm)		G0709	UL/FM	Nos	6	13.79
75	Grooved 45° elbow	6" (165.1mm)		G0711	UL/FM	Nos	6	15.22
76	Grooved 45° elbow	8" (219.1mm)		G0713	UL/FM	Nos	2	21.52
77	Grooved straight tee (Equal tee)	1-1/4" (42.4mm)		G1502	UL/FM	Nos	28	2.06
78	Grooved straight tee (Equal tee)	1-1/2" (48.3mm)		G1503	UL/FM	Nos	13	2.40
79	Grooved straight tee (Equal tee)	2-1/2" (76.1mm)		G1506	UL/FM	Nos	20	4.92





Item No	Product Name	Description	Figure	Ref. No	Certificate	UOM	Stock Quantity	Referene price (USD/UOM)
80	Grooved straight tee (Equal tee)	3" (88.9mm)		G1507	UL/FM	Nos	13	5.92
81	Grooved straight tee (Equal tee)	4" (114.3mm)		G1508	UL/FM	Nos	8	7.70
82	Grooved straight tee (Equal tee)	5" (139.7mm)		G1509	UL/FM	Nos	3	18.53
83	Grooved straight tee (Equal tee)	6" (165.1mm)		G1511	UL/FM	Nos	2	27.78
84	Grooved straight tee (Equal tee)	8" (219.1mm)		G1513	UL/FM	Nos	2	36.38
85	Grooved reducing tee	3" x 2-1/2" (88.9 * 76.1mm)		G1617	UL/FM	Nos	13	6.10
86	Grooved reducing tee	4" x 2-1/2" (114.3 * 76.1mm)		G1622	UL/FM	Nos	10	12.93
87	Grooved reducing tee	4" x 3" (114.3 * 88.9mm)		G1623	UL/FM	Nos	10	12.93
88	Grooved reducing tee	6" x 2-1/2" (165.1 * 76.1mm)		G1634	UL/FM	Nos	4	13.42
89	Grooved reducing tee	6" x 3" (165.1 * 88.9mm)		G1635	UL/FM	Nos	4	13.42
90	Grooved reducing tee	6" x 4" (165.1 * 114.3mm)		G1636	UL/FM	Nos	4	14.31
91	Grooved reducing tee	8" x 2-1/2" (219.1 * 76.1mm)		G1647	UL/FM	Nos	2	33.63
92	Grooved reducing tee	8" x 3" (219.1 * 88.9mm)		G1648	UL/FM	Nos	2	33.63
93	Grooved reducing tee	8" x 4" (219.1 * 114.3mm)		G1649	UL/FM	Nos	2	33.63
94	Grooved reducing tee	8" x 6" (219.1 * 165.1mm)		G1651	UL/FM	Nos	2	33.63
95	Grooved reducing tee with female threaded branch	2-1/2" x 1-1/4" (76.1 * 42.4mm)		G2112	UL/FM	Nos	26	4.21
96	Grooved reducing tee with female threaded branch	2-1/2" x 2" (76.1 * 60.3mm)		G2114	UL/FM	Nos	24	3.88
97	Grooved reducing tee with female threaded branch	3" x 1-1/2" (88.9 * 48.3mm)		G2117	UL/FM	Nos	16	4.38
98	Grooved reducing tee with female threaded branch	3" x 2" (88.9 * 60.3mm)		G2118	UL/FM	Nos	14	4.38
99	Grooved reducing tee with female threaded branch	3" x 2-1/2" (88.9 * 76.1mm)		G2119	UL/FM	Nos	12	4.38

Item No	Product Name	Description	Figure	Ref. No	Certificate	UOM	Stock Quantity	Referene price (USD/UOM)
100	Grooved reducing tee with female threaded branch	4" x 2-1/2" (114.3 * 76.1mm)		G2124	UL/FM	Nos	8	15.07
101	Grooved reducing tee with female threaded branch	4" x 3" (114.3 * 88.9mm)		G2125	UL/FM	Nos	8	16.54
102	Grooved reducing tee with female threaded branch	6" x 1-1/2" (165.1 * 48.3mm)		G2134	UL/FM	Nos	4	14.71
103	Grooved reducing tee with female threaded branch	6" x 2" (165.1 * 60.3mm)		G2135	UL/FM	Nos	4	15.26
104	Grooved reducing tee with female threaded branch	6" x 3" (165.1 * 88.9mm)		G2137	UL/FM	Nos	4	15.66
105	Grooved concentric reducer	3" x 1-1/4" (88.9*42.4mm)		G3116	UL/FM	Nos	62	1.86
106	Grooved concentric reducer	3" x 2-1/2" (88.9 * 76.1mm)		G3120	UL/FM	Nos	57	2.56
107	Grooved concentric reducer	4" x 2-1/2" (114.3 * 76.1mm)		G3125	UL/FM	Nos	36	4.36
108	Grooved concentric reducer	4" x 3" (114.3 * 88.9mm)		G3126	UL/FM	Nos	33	4.36
109	Grooved concentric reducer	6" x 3" (165.1 * 88.9mm)		G3136	UL/FM	Nos	12	9.27
110	Grooved concentric reducer	6" x 4" (165.1 * 114.3mm)		G3137	UL/FM	Nos	12	9.27
111	Grooved concentric reducer	8" x 2-1/2" (219.1 * 76.1mm)		G3148	UL/FM	Nos	6	9.83
112	Grooved concentric reducer	8" x 3" (219.1 * 88.9mm)		G3149	UL/FM	Nos	6	9.83
113	Grooved concentric reducer	8" x 4" (219.1 * 114.3mm)		G3150	UL/FM	Nos	6	9.83
114	Grooved concentric reducer	8" x 6" (219.1 * 165.1mm)		G3153	UL/FM	Nos	6	15.23
115	Grooved concentric reducer with female threaded outlet	2-1/2" x 1" (76.1 * 33.7mm)		G3313	UL/FM	Nos	72	1.89
116	Grooved concentric reducer with female threaded outlet	2-1/2" x 1-1/4" (76.1 * 42.4mm)		G3314	UL/FM	Nos	72	1.89
117	Grooved concentric reducer with female threaded outlet	2-1/2" x 1-1/2" (76.1 * 48.3mm)		G3315	UL/FM	Nos	72	1.89
118	Grooved concentric reducer with female threaded outlet	2-1/2" x 2" (76.1 * 60.3mm)		G3316	UL/FM	Nos	72	1.89
119	Grooved concentric reducer with female threaded outlet	3" x 1" (88.9 * 33.7mm)		G3317	UL/FM	Nos	60	2.76

Item No	Product Name	Description	Figure	Ref. No	Certificate	UOM	Stock Quantity	Referene price (USD/UOM)
120	Grooved concentric reducer with female threaded outlet	3" x 1-1/4" (88.9 * 42.4mm)		G3318	UL/FM	Nos	60	2.76
121	Grooved concentric reducer with female threaded outlet	3" x 1-1/2" (88.9 * 48.3mm)		G3319	UL/FM	Nos	60	2.76
122	Grooved concentric reducer with female threaded outlet	3" x 2" (88.9 * 60.3mm)		G3320	UL/FM	Nos	54	2.76
123	Grooved concentric reducer with female threaded outlet	3" x 2-1/2" (88.9 * 76.1mm)		G3322	UL/FM	Nos	48	2.76
124	Grooved concentric reducer with female threaded outlet	4" x 1" (114.3 * 33.7mm)		G3323	UL/FM	Nos	36	3.21
125	Grooved concentric reducer with female threaded outlet	4" x 1-1/4" (114.3 * 42.4mm)		G3324	UL/FM	Nos	36	3.21
126	Grooved concentric reducer with female threaded outlet	4" x 1-1/2" (114.3 * 48.3mm)		G3325	UL/FM	Nos	36	3.21
127	Grooved concentric reducer with female threaded outlet	4" x 2" (114.3 * 60.3mm)		G3326	UL/FM	Nos	36	3.21
128	Grooved concentric reducer with female threaded outlet	4" x 2-1/2" (114.3 * 76.1mm)		G3328	UL/FM	Nos	36	3.68
129	Grooved concentric reducer with female threaded outlet	4" x 3" (114.3 * 88.9mm)		G3329	UL/FM	Nos	33	4.60
130	Grooved concentric reducer with female threaded outlet	6" x 1" (165.1 * 33.7mm)		G3337	UL/FM	Nos	12	5.72
131	Grooved concentric reducer with female threaded outlet	6" x 1-1/4" (165.1 * 42.4mm)		G3338	UL/FM	Nos	12	5.72
132	Grooved concentric reducer with female threaded outlet	6" x 1-1/2" (165.1 * 48.3mm)		G3339	UL/FM	Nos	12	5.72
133	Grooved concentric reducer with female threaded outlet	6" x 2" (165.1 * 60.3mm)		G3340	UL/FM	Nos	12	6.60
134	Grooved concentric reducer with female threaded outlet	6" x 2-1/2" (165.1 * 76.1mm)	G3341	UL/FM	Nos	12	6.60	
135	EN grooved flange one-piece (Flanged adapter)	2-1/2" (76.1mm)		G4406-16	UL/FM	Nos	12	5.51
136	EN grooved flange one-piece (Flanged adapter)	3" (88.9mm)		G4407-16	UL/FM	Nos	12	6.00
137	EN grooved flange one-piece (Flanged adapter)	4" (114.3mm)		G4408-16	UL/FM	Nos	12	7.60
138	EN grooved flange one-piece (Flanged adapter)	5" (139.7mm)		G4409-16	UL/FM	Nos	6	8.27
139	EN grooved flange one-piece (Flanged adapter)	6" (165.1mm)		G4411-16	UL/FM	Nos	4	15.90

Item No	Product Name	Description	Figure	Ref. No	Certificate	UOM	Stock Quantity	Referene price (USD/UOM)
140	EN grooved flange one-piece (Flanged adapter)	8" (219.1mm)		G4413-16	UL/FM	Nos	3	18.36
141	Rigid grooved coupling	2" (60.3mm)		G5104	UL/FM	Nos	50	2.25
142	Rigid grooved coupling	2-1/2" (76.1mm)		G5106	UL/FM	Nos	36	4.85
143	Rigid grooved coupling	3" (88.9mm)		G5107	UL/FM	Nos	32	3.09
144	Rigid grooved coupling	4" (114.3mm)		G5108	UL/FM	Nos	20	3.39
145	Rigid grooved coupling	5" (139.7mm)		G5109	UL/FM	Nos	15	8.16
146	Rigid grooved coupling	6" (165.1mm)		G5111	UL/FM	Nos	12	8.16
147	Rigid grooved coupling	8" (219.1mm)		G5113	UL/FM	Nos	5	12.58
148	Mechanical tee with threaded branch	4" x 2-1/2" (114.3*76.1mm), outlet BSPT			G7639	UL/FM	Nos	72
149	Mechanical cross with threaded branches	2-1/2" x 1" (76.1*33.7mm), outlet BSPT		G7910	UL/FM	Nos	40	3.28
150	Mechanical cross with threaded branches	3" x 1" (88.9*33.7mm), outlet BSPT		G7915	UL/FM	Nos	30	3.88
151	Mechanical cross with threaded branches	4" x 1" (114.3*33.7mm), outlet BSPT		G7921	UL/FM	Nos	24	4.68
152	Mechanical cross with threaded branches	4" x 2" (114.3*60.3mm), outlet BSPT		G7924	UL/FM	Nos	16	6.70
153	Malleable cast iron 90° elbow	1" (33.7mm), BSPT		M0105	UL/FM	Nos	50	0.72
154	Malleable cast iron equal tee	1" (33.7mm), BSPT		M0905	UL/FM	Nos	50	1.02
155	Malleable cast iron unequal tee (Reducing tee)	1-1/2" x 1" (48.3*33.7mm), BSPT		M1023	UL/FM	Nos	50	1.96
156	Malleable cast iron socket (Coupling)	1/2" (21.3mm), BSPT		M2303	UL/FM	Nos	50	0.30
157	Malleable cast iron reducing socket	2" x 1" (60.3*33.7mm), BSPT		M2429	UL/FM	Nos	50	1.87
158	Malleable cast iron hexagon nipple	1/2" (21.3mm), BSPT		M3003	UL/FM	Nos	50	0.28
159	PTFE thread seal tape	12mm*10M*0.12mm		M9401	UL	Roll	100	0.49

Item No	Product Name	Description	Figure	Ref. No	Certificate	UOM	Stock Quantity	Referene price (USD/UOM)
160	K5.6 standard response upright sprinkler	68°C, 1/2", BSPT		S0102	UL/FM	Nos	47	3.05
161	K5.6 standard response pendent sprinkler	68°C, 1/2", BSPT		S0202	UL/FM	Nos	47	3.05
162	K8.0 standard response upright sprinkler	68°C, 3/4", BSPT		S1102	UL/FM	Nos	50	4.96
163	K8.0 standard response pendent sprinkler	68°C, 3/4", BSPT		S1202	UL/FM	Nos	50	4.96
164	K14.0 ESFR pendent sprinkler	74°C, 3/4", BSPT		S6201	UL FM	Nos	50	14.34
165	K25.2 ESFR pendent sprinkler	74°C, 1", BSPT		S6601	UL/FM	Nos	1	25.37
166	Medium velocity open spray nozzle	K2.3, 1/2", BSPT		S8703	UL/FM	Nos	8	16.10
167	K5.6 standard response upright sprinkler	68°C, 1/2", NPT		S0102	UL/FM	Nos	9	3.38
168	K5.6 standard response pendent sprinkler	68°C, 1/2", NPT		S0202	UL/FM	Nos	9	3.38
169	K5.6 standard response concealed pendent sprinkler	68°C, 1/2", NPT		S0302	UL	Nos	5	10.71
170	K5.6 standard response concealed pendent sprinkler	68°C, 1/2", NPT		S0322	UL	Nos	1	7.91
171	K5.6 standard response horizontal sidewall sprinkler	68°C, 1/2", NPT		S0402	UL/FM	Nos	10	5.27
172	K5.6 quick response upright sprinkler	68°C, 1/2", NPT		S0602	UL/FM	Nos	10	4.53
173	K5.6 quick response pendent sprinkler	68°C, 1/2", NPT		S0702	UL/FM	Nos	4	4.53
174	K5.6 quick response horizontal sidewall sprinkler	68°C, 1/2", NPT		S0902	UL/FM	Nos	9	6.18
175	K8.0 standard response upright sprinkler	68°C, 3/4", NPT		S1102	UL/FM	Nos	10	6.20
176	K8.0 standard response pendent sprinkler	68°C, 3/4", NPT		S1202	UL/FM	Nos	8	6.20
177	K8.0 quick response upright sprinkler	68°C, 3/4", NPT		S1602	UL/FM	Nos	9	7.00
178	K8.0 quick response pendent sprinkler	68°C, 3/4", NPT		S1702	UL/FM	Nos	10	7.00
179	K8.0 ECLH HSW sprinkler	68°C, 3/4", NPT		S2802	UL/FM	Nos	3	9.22

Item No	Product Name	Description	Figure	Ref. No	Certificate	UOM	Stock Quantity	Referene price (USD/UOM)
180	K11.2 CMDA standard response upright sprinkle	68°C, 3/4", NPT		S7101	UL/FM	Nos	5	11.07
181	K11.2 CMDA standard response pendent sprinkler	68°C, 3/4", NPT		S7201	UL/FM	Nos	5	11.07
182	K11.2 CMDA quick response upright sprinkler	68°C, 3/4", NPT		S7301	UL/FM	Nos	5	8.98
183	K11.2 CMDA quick response pendent sprinkler	68°C, 3/4", NPT		S7401	UL/FM	Nos	5	8.98