

90° horizontal elbow



- Certificate: ISO
- Standard: NEMA VE 1, NFPA 70
- Material: Carbon steel / stainless steel
- Thickness: Standard 1.0 mm, available 1.2 ~ 2.0 mm
- Feature: Horizontal, different bend radius
- Surface: Hot-dip galvanized, pre-galvanized / mill finish, polished



Available size

Size	Material	Bottom	Width (mm)	Height (mm)	Bend radius (mm)	Ref. No.
50 x 50	CS / SS	Solid / ventilated	50	50	100	C8201 (ISO)
75 x 50	CS / SS	Solid / ventilated	75	50	150	C8202 (ISO)
75 x 75	CS / SS	Solid / ventilated	75	75	150	C8203 (ISO)
100 x 50	CS / SS	Solid / ventilated	100	50	150	C8204 (ISO)
100 x 75	CS / SS	Solid / ventilated	100	75	150	C8205 (ISO)
100 x 100	CS / SS	Solid / ventilated	100	100	150	C8206 (ISO)
150 x 50	CS / SS	Solid / ventilated	150	50	150	C8207 (ISO)
150 x 75	CS / SS	Solid / ventilated	150	75	150	C8208 (ISO)
150 x 100	CS / SS	Solid / ventilated	150	100	150	C8209 (ISO)
150 x 150	CS / SS	Solid / ventilated	150	150	150	C8210 (ISO)
200 x 50	CS / SS	Solid / ventilated	200	50	150	C8211 (ISO)
200 x 75	CS / SS	Solid / ventilated	200	75	150	C8212 (ISO)
200 x 100	CS / SS	Solid / ventilated	200	100	150	C8213 (ISO)
200 x 150	CS / SS	Solid / ventilated	200	150	150	C8214 (ISO)
200 x 200	CS / SS	Solid / ventilated	200	200	150	C8215 (ISO)
300 x 50	CS / SS	Solid / ventilated	300	50	150	C8216 (ISO)
300 x 75	CS / SS	Solid / ventilated	300	75	150	C8217 (ISO)
300 x 100	CS / SS	Solid / ventilated	300	100	150	C8218 (ISO)
300 x 150	CS / SS	Solid / ventilated	300	150	150	C8219 (ISO)
300 x 200	CS / SS	Solid / ventilated	300	200	150	C8220 (ISO)
400 x 50	CS / SS	Solid / ventilated	400	50	150 / 300	C8221 (ISO)

90° horizontal elbow

Available size

Size	Material	Bottom	Width (mm)	Height (mm)	Bend radius (mm)	Ref. No.
400 x 75	CS / SS	Solid / ventilated	400	75	150 / 300	C8222 (ISO)
400 x 100	CS / SS	Solid / ventilated	400	100	150 / 300	C8223 (ISO)
400 x 150	CS / SS	Solid / ventilated	400	150	150 / 300	C8224 (ISO)
400 x 200	CS / SS	Solid / ventilated	400	200	150 / 300	C8225 (ISO)
500 x 50	CS / SS	Solid / ventilated	500	50	150 / 300	C8226 (ISO)
500 x 75	CS / SS	Solid / ventilated	500	75	150 / 300	C8227 (ISO)
500 x 100	CS / SS	Solid / ventilated	500	100	150 / 300	C8228 (ISO)
500 x 150	CS / SS	Solid / ventilated	500	150	150 / 300	C8229 (ISO)
500 x 200	CS / SS	Solid / ventilated	500	200	150 / 300	C8230 (ISO)
600 x 50	CS / SS	Solid / ventilated	600	50	150 / 300 / 600	C8231 (ISO)
600 x 75	CS / SS	Solid / ventilated	600	75	150 / 300 / 600	C8232 (ISO)
600 x 100	CS / SS	Solid / ventilated	600	100	150 / 300 / 600	C8233 (ISO)
600 x 150	CS / SS	Solid / ventilated	600	150	150 / 300 / 600	C8234 (ISO)
600 x 200	CS / SS	Solid / ventilated	600	200	150 / 300 / 600	C8235 (ISO)